

## DTCM111-110-AL

## C-mount Bi-telecentric Lens

- Optimized for 1/2.5"~1.1" C-Mount cameras;
- Largest FOV from 26mm upto 300mm;
- Excellent resolution for high pixel cameras;
- Low distortion, good telecentricity, big aperture and big depth of field for high end application.

Optical Specifications		
Magnification (x)	0.167	
Object Field of View (Фmm)	110	
Working Distance (mm)	263±4	
Max Sensor Size (Фmm)	18.4(1.1")	
Best Aperture (F/#)	6.2	
Telecentricity typical (max) (deg)	<0.1	
Distortion typical (max) (%)	<0.1	
MTF30 (lp/mm)	>150	
Depth of Field (mm)	±15.8@F11	
Length of I/O (mm)	580±4	



Field of View (mm × mm)		
1" IMX183 (13.13x8.76)		78.6x52.5
1.1" IMX253 (14.19x10.38)		85.0x62.2
Mechanical Specifications		
Mount		С
Length (mm)		299.3
Weight (kg)		2.8
Compatible Lighting		
Telecentric LED Lighting	DTCL-110-xW-y	
	Beam Diameter 110mm	

## Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.

