

## DTCM110-258-AL

## C-mount Bi-telecentric Lens

- Optimized for 1/2.5"~1.1" C-Mount cameras;
- Largest FOV from 26mm upto 300mm;
- Excellent resolution for high pixel cameras;
- Low distortion, good telecentricity, big aperture and big depth of field for high end application.

Optical Specifications		
Magnification (x)	0.064	
Object Field of View (Фmm)	258	
Working Distance (mm)	340±5	
Max Sensor Size (Фmm)	16.6(1")	
Best Aperture (F/#)	6.5	
Telecentricity typical (max) (deg)	<0.1	
Distortion typical (max) (%)	<0.1	
MTF30 (lp/mm)	>140	
Depth of Field (mm)	±106@F11	
Length of I/O (mm)	806±5	



Field of View (mm × mm)		
1" PYTHON 5000(12.43x9.83)		194.2x153.6
1" IMX255(14.19x7.5	1)	221.7x117.3
1" IMX183(13.13x8.7	6)	205.2x136.9
Mechanical Specifications		
Mount		С
Length (mm)		448.4
Compatible Lighting		
Telecentric LED Lighting		LP270-90

## Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.

