

DTCA24K-79-M95-AL

High Performance Industrial Lens

- DTCA series lenses are designed specially for compatibility with large sensor.
- Support newest developments in machine vision field: 24K line scan camera and 150Mp area scan camera.
- Extreme imaging aperture, extraordinary aberration correction, diffraction limited imaging resolution.
- Big aperture, good telecentricity, near zero distortion, big depth for high quality imaging.

| Optical Specifications | |
|------------------------------------|-----------|
| Magnification (x) | 1.11 |
| Object Field of View (Фmm) | 79.2 |
| Working Distance (mm) | 150±3 |
| Max Sensor Size (Фmm) | 88 |
| Best Aperture (F/#) | 7.0 |
| Telecentricity typical (max) (deg) | <0.1 |
| Distortion typical (max) (%) | <0.2 |
| MTF30 (lp/mm) | >100 |
| Depth of Field (mm) | ±0.2@F7.0 |
| Length of I/O (mm) | 641±3 |



| Field of View (mm × mm) | |
|-----------------------------|-----------|
| DALSA 86M (64.32x48.38) | 57.9x43.6 |
| Linescan-16K 5µm (81.9mm) | 73.8 |
| Linescan-24K 3.5µm (86.0mm) | 77.5 |
| Mechanical Specifications | |
| Mount | M95 |
| Length (mm) | 478.8 |
| Weight (kg) | - |
| Coaxial Light | No |
| Iris | No |

Notes:

- 1. Depth of Field is calculated value, this value could be used for imaging test, but to get sharp image in application, half of calculated value is suggested.
- 2. Length of I/O = WD + Length + Back Focal Length.



